

 BENROSS®

# SPEEDFIT



# CONTENTS

## INTRODUCTION

SPEEDFIT	02
WARRANTY/KIT	03

## IRONS

HTX TYPE R	04
HTX	05
HTX GOLD	06
PEARL	07

## COMPONENTS

SHAFTS	08
GRIPS	09

## SPECIFICATIONS

SHAFT LENGTH CHART	10
LIE ANGLE CHART	11

# SPEEDFIT

Thank you for choosing the Benross SpeedFit system. We hope you enjoy fitting your customers with the Benross HTX and Pearl ranges. Once of you have fitted your customer, please place your order with us by:

- Phoning 01932 821200 (Option 1)
- Emailing [custombuild@benrossgolf.com](mailto:custombuild@benrossgolf.com)

To make this process as easy as possible, we have created a SpeedFit Order Sheet. A copy of this has been sent to you and is available by request from the email address above.

We hope you enjoy using the Benross SpeedFit System, please contact us if you need any further assistance.

Best Regards,

The Benross Team

# WARRANTY

## FREE THREE YEAR WARRANTY

We are proud to continue offering our industry leading three year warranty on all registered Benross hardware.

Your customers can register their products by completing the form at [benrossgolf.com](http://benrossgolf.com). Benross Bags have a warranty of one year and all Benross Clothing has a warranty of two years, with valid proof of purchase.

Alongside the FREE three year warranty, customers who register their product will be automatically entered to win a place in our 2016 Be Our Tour Pro Championship. To find out more, please visit [benrossgolf.com/tourpro](http://benrossgolf.com/tourpro).

## YOUR SPEEDFIT OPTIONS:

### HEADS

HTX TYPE R Iron Head 2° Upright  
HTX TYPE R Iron Head Standard  
HTX TYPE R Iron Head 2° Flat  
HTX Iron Head 2° Upright  
HTX Iron Head Standard  
HTX Iron Head 2° Flat  
HTX GOLD Iron Head Standard  
HTX GOLD Iron Head 2° Flat  
PEARL Iron Head Standard

### SHAFTS

KBS 90 Reg	KBS 105P Reg
KBS 90 Stiff	KBS 105P Stiff
KBS 90 Reg + 1 Inch	Kuro Kage Black Reg
KBS 90 Reg - 1/2 Inch	Kuro Kage Black A Flex
KBS 90 Reg + 1/2 Inch	Kuro Kage Black Stiff
KBS 90 Stiff + 1 Inch (Midsize Grip)	Recoil 660 F3 Reg
KBS 90 Stiff + 1/2 Inch	Fubuki Ladies

### USAGE:

- 1. Select a head.
- 2. Select a shaft.
- 3. Insert the shaft into the head and rotate anti-clockwise.
- 4. Use the SpeedFit wrench to tighten – be careful not to overtighten.
- 5. To remove the shaft from the head, use the wrench to loosen by turning it clockwise.

# HTX

type R

## KEY FEATURES

- Innovative Heat Treated, Cup Face results in the best ever CT performance of a Benross iron
- Progressive Top Line Thickness
- KBS Tour 90 or Kuro Kage Black shafts as standard

RRP (Graphite) £429.99 & (Steel) £379.99 (5-SW)



CLUB	LOFT	LIE	LENGTH	SWINGWEIGHT	GRIP	STOCK SHAFT OPTION
4	20°	60.5°	S: 38.50"/G: 38.75"	D2	360 Tour Velvet	KBS Tour 90 or Kuro Kage Black
5	23°	61.25°	S: 38.00"/G: 38.25"	D2	360 Tour Velvet	KBS Tour 90 or Kuro Kage Black
6	26°	62°	S: 37.50"/G: 37.75"	D2	360 Tour Velvet	KBS Tour 90 or Kuro Kage Black
7	30°	62.5°	S: 37.00"/G: 37.25"	D2	360 Tour Velvet	KBS Tour 90 or Kuro Kage Black
8	34.5°	63°	S: 36.50"/G: 36.75"	D2	360 Tour Velvet	KBS Tour 90 or Kuro Kage Black
9	39°	63.5°	S: 36.00"/G: 36.25"	D2	360 Tour Velvet	KBS Tour 90 or Kuro Kage Black
PW	44°	64°	S: 35.75"/G: 36.00"	D4	360 Tour Velvet	KBS Tour 90 or Kuro Kage Black
SW	54°	64°	S: 35.50"/G: 35.75"	D5	360 Tour Velvet	KBS Tour 90 or Kuro Kage Black

# HTX

## KEY FEATURES

- 431 Stainless Steel Cast Construction
- Heat Treated Face produces greater ball speeds for increased distance
- Torsion Control Bar and Heel/Toe weighting maximises MOI and forgiveness
- Progressive top line thickness
- Available in KBS Tour 90 or Kuro Kage Black shafts as standard
- Left Handed available

RRP (Graphite) £349.99 & (Steel) £299.99 (5-SW)



CLUB	LOFT	LIE	LENGTH	SWINGWEIGHT	GRIP	STOCK SHAFT OPTION
4	21.5°	59°	S: 38.50"/G: 38.75"	D2	360 Tour Velvet	KBS Tour 90 or Kuro Kage Black
5	24°	60°	S: 38.00"/G: 38.25"	D2	360 Tour Velvet	KBS Tour 90 or Kuro Kage Black
6	26.5°	61°	S: 37.50"/G: 37.75"	D2	360 Tour Velvet	KBS Tour 90 or Kuro Kage Black
7	30.5°	62°	S: 37.00"/G: 37.25"	D2	360 Tour Velvet	KBS Tour 90 or Kuro Kage Black
8	35°	63°	S: 36.50"/G: 36.75"	D2	360 Tour Velvet	KBS Tour 90 or Kuro Kage Black
9	40°	63.75°	S: 36.00"/G: 36.25"	D2	360 Tour Velvet	KBS Tour 90 or Kuro Kage Black
PW	45°	64°	S: 35.75"/G: 36.00"	D4	360 Tour Velvet	KBS Tour 90 or Kuro Kage Black
SW	54°	64.25°	S: 35.50"/G: 35.75"	D5	360 Tour Velvet	KBS Tour 90 or Kuro Kage Black

# HTX GOLD

## KEY FEATURES

- 431 Stainless Steel Cast Construction
- Heat Treated Face produces greater ball speeds for increased distance
- Torsion Control Bar and Heel/Toe weighting maximises MOI and forgiveness
- Specially engineered to achieve lighter headweights, maximising clubhead speed
- Progressive top line thickness
- Kuro Kage Black shafts as standard

RRP £349.99 (5-SW)



CLUB	LOFT	LIE	LENGTH	SWINGWEIGHT	GRIP	STOCK SHAFT OPTION
5	24°	60.5°	38.25"	D0	360 Tour Velvet	Kuro Kage Black
6	26.5°	61.5°	37.75"	D0	360 Tour Velvet	Kuro Kage Black
7	30.5°	62°	37.25"	D0	360 Tour Velvet	Kuro Kage Black
8	34.5°	63°	36.75"	D0	360 Tour Velvet	Kuro Kage Black
9	39°	64°	36.25"	D0	360 Tour Velvet	Kuro Kage Black
PW	44°	64.5°	36.00"	D2	360 Tour Velvet	Kuro Kage Black
SW	54°	64.5°	35.75"	D3	360 Tour Velvet	Kuro Kage Black

# Pearl

## KEY FEATURES

- 431 Stainless Steel Cast Construction
- Heat Treated Face produces greater ball speeds for increased distance
- Torsion Control Bar and Heel/Toe weighting maximises MOI and forgiveness
- Progressive top line thickness
- Fubuki Z Series Ladies shaft as standard
- Standard Set: 6 Iron - Sand Wedge

RRP £299.99 (6-SW)



CLUB	LOFT	LIE	LENGTH	SWINGWEIGHT	GRIP	STOCK SHAFT OPTION
5	24°	60.5°	37.50"	C4	Lamkin R.E.L Ace	Fubuki Z Series Ladies
6	26.5°	61.5°	37.00"	C4	Lamkin R.E.L Ace	Fubuki Z Series Ladies
7	30.5°	62°	36.50"	C4	Lamkin R.E.L Ace	Fubuki Z Series Ladies
8	34.5°	63°	36.00"	C4	Lamkin R.E.L Ace	Fubuki Z Series Ladies
9	39°	64°	35.50"	C4	Lamkin R.E.L Ace	Fubuki Z Series Ladies
PW	44°	64.5°	35.25"	C7	Lamkin R.E.L Ace	Fubuki Z Series Ladies
SW	54°	64.5°	35.00"	C8	Lamkin R.E.L Ace	Fubuki Z Series Ladies



# SHAFTS

## MITSUBISHI RAYON KURO KAGE



The Kuro Kage Black iron shaft features a mid-high bend point, offering a high launch and medium spin rate.

## MITSUBISHI RAYON FUBUKI LADIES



Specifically designed to match the swing profile of female golfers, offering high launch for increased carry.

## KBS TOUR



Designed for players seeking a high, powerful ball flight. KBS Tour 110 available for lower flight with reduced spin.

## UST RECOIL



Lightweight graphite shaft helps increase clubhead speed whilst maintaining the stability of a steel shaft.

MODEL	TIP SIZE	FLEX	WEIGHT	BEND POINT
KURO KAGE (Black)	0.370"	A/R/S	73g - 75g	Mid - High
FUBUKI LADIES	0.370"	W	50g	Mid - High
KBS TOUR 90	0.370"	R/S	90g	Low
KBS TOUR 110	0.370"	R/S/X	110g	Low
UST RECOIL	0.370"	R	71g	Mid - High

All steel shafts charged at standard steel set price. All graphite shafts charged at standard graphite set price. No additional upcharges apply.

# GRIPS

All grips available for no upcharge.



GRIP	MATERIAL	CORE SIZE	WEIGHT (+/- 3.5G)	OUTSIDE DIAMETER
Tour Velvet 360	State-of-the-Art Rubber-Blend	60 Round	50.0	Standard
Tour Velvet Jumbo	State-of-the-Art Rubber-Blend	60 Round	61.0	Jumbo
Tour Velvet Undersize	State-of-the-Art Rubber-Blend	56 Ribbed	50.0	Undersized
Tour Velvet Midsize	State-of-the-Art Rubber-Blend	60 Round	53.5	Midsize
New Decade MultiCompound	Exclusive BCT® Cord combined with High-Performance Rubber	60 Round	46.5	Standard
Lamkin R.E.L Ace Ladies	Enhanced ACE 3GEN	58 Round	52.0	Undersize

# SHAFT LENGTH CHART

	HEIGHT								
	4'10"-5'0"	5'0"-5'2"	5'2"-5'4"	5'4"-5'7"	5'7"-6'0"	6'0"-6'2"	6'2"-6'4"	6'4"-6'7"	6'7"-6'9"
40"	+2.25"	+2.25"	+2.25"	+2"	+2"	+2"	+1.75"	+1.75"	+1.5"
39.5"	+2"	+2"	+2"	+1.75"	+1.75"	+1.75"	+1.5"	+1.5"	+1.25"
39"	+1.75"	+1.75"	+1.75"	+1.75"	+1.5"	+1.5"	+1.5"	+1.25"	+1.25"
38.5"	+1.5"	+1.5"	+1.5"	+1.5"	+1.5"	+1.25"	+1.25"	+1"	+1"
38"	+1.25"	+1.25"	+1.25"	+1"	+1"	+1"	+1"	+0.75"	+0.75"
37.5"	+1"	+1"	+1"	+0.75"	+0.75"	+0.75"	+0.5"	+0.5"	+0.5"
37"	+0.75"	+0.75"	+0.75"	+0.5"	+0.5"	+0.5"	+0.5"	+0.5"	+0.5"
36.5"	+0.5"	+0.5"	+0.5"	+0.25"	+0.25"	+0.25"	+0.25"	+0.25"	+0.25"
36"	+0.5"	+0.25"	+0.25"	+0.25"	+0.25"	+0.25"	STD	STD	STD
35.5"	+0.25"	+0.25"	+0.25"	STD	STD	STD	STD	STD	STD
35"	STD	STD	STD	STD	STD	STD	STD	STD	STD
34.5"	STD	STD	STD	STD	STD	STD	STD	STD	STD
34"	STD	STD	STD	STD	STD	STD	STD	STD	STD
33.5"	STD	STD	STD	STD	STD	STD	-0.25"	-0.25"	-0.25"
33"	STD	STD	STD	-0.25"	-0.25"	-0.25"	-0.25"	-0.25"	-0.25"
32.5"	-0.25"	-0.25"	-0.25"	-0.5"	-0.5"	-0.5"	-0.75"	-0.75"	-0.75"
32"	-0.5"	-0.5"	-0.5"	-0.75"	-0.75"	-0.75"	-0.75"	-0.75"	-0.75"
31.5"	-0.75"	-0.75"	-0.75"	-0.75"	-0.75"	-0.75"	-1"	-1"	-1"
31"	-0.75"	-0.75"	-0.75"	-1"	-1"	-1"	-1"	-1"	-1"
30.5"	-1"	-1"	-1"	-1"	-1"	-1"	-1.25"	-1.25"	-1.25"
30"	-1"	-1"	-1"	-1.25"	-1.25"	-1.25"	-1.25"	-1.25"	-1.25"
29.5"	-1.25"	-1.25"	-1.25"	-1.25"	-1.25"	-1.25"	-1.5"	-1.5"	-1.5"
29"	-1.25"	-1.25"	-1.25"	-1.5"	-1.5"	-1.5"	-1.5"	-1.5"	-1.5"
28.5"	-1.25"	-1.5"	-1.5"	-1.5"	-1.5"	-1.5"	-1.5"	-1.5"	-1.5"

WRIST TO FLOOR MEASUREMENT

# LIE ANGLE CHART

	HEIGHT		
	4'10"-5'5"	5'6"-6'2"	6'2"-6'7"
40"			+3 Deg
39.5"		+3 Deg	+3 Deg
39"	+3 Deg	+3 Deg	+2 Deg
38.5"	+3 Deg	+2 Deg	+2 Deg
38"	+2 Deg	+2 Deg	+2 Deg
37.5"	+2 Deg	+2 Deg	+1 Deg
37"	+2 Deg	+1 Deg	+1 Deg
36.5"	+1 Deg	+1 Deg	+1 Deg
36"	+1 Deg	+1 Deg	STD
35.5"	+1 Deg	STD	STD
35"	STD	STD	STD
34.5"	STD	STD	STD
34"	STD	STD	STD
33.5"	STD	STD	STD
33"	STD	STD	-1 Deg
32.5"	STD	-1 Deg	-1 Deg
32"	-1 Deg	-1 Deg	-1 Deg
31.5"	-1 Deg	-1 Deg	-2 Deg
31"	-1 Deg	-2 Deg	-2 Deg
30.5"	-2 Deg	-2 Deg	-2 Deg
30"	-2 Deg	-2 Deg	-3 Deg
29.5"	-2 Deg	-3 Deg	-3 Deg
29"	-3 Deg	-3 Deg	
28.5"	-3 Deg		

WRIST TO FLOOR MEASUREMENT



[www.benrossgolf.com](http://www.benrossgolf.com)